




Features & Benefits

- Flexible 5.25" ODD cage configurations with optional storage kits SK23 x 2 sets or SK34 x 1 set
 - High density storage with 2.5"/3.5" hot-swap drive bays x 11
- Capable of installing standard ATX PSU or high-efficiency 80 Plus Platinum CRPS
 - Supports 350mm dual-slot PCIe cards with GPU card holder (optional)
 - Supports single easy-swap SATA port module for 2.5"/3.5" HDD x 5 (optional)
- Supports maximum 4 x 120mm fans or 3 x 120mm fans and optional 80mm rear fans x 2
 - Supports rack installation by slide rails
 - General-purpose storage server




Specifications

M/B Form Factor	ATX(12" x 9.6"), CEB(12" x 10.5"), EEB(12" x 13")
Drive Bay	• External 5.25" x 4, 3.5" x 1 • Internal 2.5"/3.5" x 5
Power Supply	Supports: • 1250W PS2 single PSU, 80 Plus Gold • 550W/800W/1200/1600W 1+1 CRPS, 80 Plus Platinum
Indicators	Power status, HDD, LANs, system fail activity LEDs, ID
Front Control Panel	Power switch, system reset, USB 3.0 x 2
Chassis Security	• Supports padlock loop and Kensington lock slot • Intrusion switch (optional)
Cooling Fans	• Front: 120 x 25mm PWM fan x 1 (optional) • Middle: 120 x 25mm PWM fans x 2 (optional) • Rear: 120 x 25mm PWM fan x 1 (pre-installed) or optional 80 x 38mm PWM fans x 2
Expansion Slot	Full-height PCIe slots x 7
Material	• Material: SECC • Thickness: 0.8mm
Maximum Capacity	• GPU length: 350mm • CPU heatsink height: 145mm • PS2 power length: 250mm (including cable management area)
Rail Kit	Supports 23" ball-bearing slide rail
Product Dimensions (DxWxH; Chassis Only)	560.2 x 200 x 430.1mm (22.1" x 7.9" x 16.9")
Package Dimensions (DxWxH)	720 x 592 x 340mm
Weight (Chassis Only)	• Net weight: 10.67kg • Gross weight: 14.21kg
Cubic Feet	5.12
Container Information	Single packing with pallets: • 20': 110pcs • 40': 240pcs • 40' HQ: 288pcs

IW-PL052

Pedestal Long Version Workstation

Pedestal Tower



Optional Items

Item	Part Number	Description	Support
Slide Rail	3RAMIS144400	23" ball-bearing slide rail	1 set
Power Supply	3RAMAP034400	80 PLUS Gold PS2 1250W	1
Power Supply	3RAMAP025502	PDB power cage for CRPS 550W/800W	1
Power Supply	3RAMAP025102	80 PLUS Platinum 550W CRPS	Max. 2
Power Supply	3RAMAP025202	80 PLUS Platinum 800W CRPS	Max. 2
Power Supply	3RAMAP030501	PDB power cage for CRPS 1200W/1600W	1
Power Supply	3RAMAP026501	80 PLUS Platinum CRPS 1200W (AC input 100-127V, total power 800W max. / AC input 200-240V, total power 1200W max.)	Max. 2
Power Supply	3RAMAP044300	80 PLUS Platinum CRPS 1600W (AC input 100-127V, total power 1000W max. / AC input 200-240V, total power 1600W max.)	Max. 2
Fan	3RAMFC001301	120 x 25mm front or rear fan, PWM, 2500RPM	Max. 2
Fan	3RAMFB007400	80 x 38mm rear fan, PWM, 5500RPM	Max. 2
Fan	2RATPH063901	Plastic holder for 120mm fan (in the middle system of the chassis)	2
Storage Kit	2RAKID044203	IW-SK23-02: 2.5"/3.5" x 3 Hot-Swap Storage Kit (SAS/SATA III 6Gb/s)	Max. 2
Storage Kit	2RAKID073902	IW-SK34-02, 3.5" hot-swap HDD x 4, SAS/SATA 12Gb/s	1
Storage Kit	2RAKID088303	IW-SK23-07, 3.5" hot-swap HDD x 3, SAS/SATA 12Gb/s	Max. 2
Storage Kit	2RAKID088404	IW-SK34-07, 3.5" hot-swap HDD x 4, SAS/SATA 12Gb/s	1
Others	3RAMRW020400	Intrusion switch/700mm	1
Others	2RAGPD034501	Front I/O USB 3.0 x 2 + Audio	1
Others	2RAGPD034701	Front I/O USB 3.0 x 2	1
Others	2RAKIS013601	Single easy-swap SATA port module for 2.5"/3.5" HDD	5
Others	2RAKIS004400	Dual easy-swap SATA port module for 2.5"/3.5" HDD	2
Others	2RALXX611600	Add-on card holder kit	1
Others	2RAKIS040800	Rack mounting ear (L)	1
Others	2RAKIS040900	Rack mounting ear (R)	1

* The actual product is subject to change without prior notice. In Win Development Inc. reserves the right to make any final modifications.

* The above image is for reference only. All hardware components and optional parts are not included.